

AMSAT Weekly Satellite Report
Issue: WSR-212
Date: 2005-07-31
Sources: amsat-ans-2005-wsr-212.txt

This report is organized into 4 parts.
Part 1 - operational analog amateur satellites.
Part 2 - operational digital amateur satellites.
Part 3 - non - operational satellites
Part 4 - proposed satellites

SB SAT @ AMSAT <W8ISS \$ANS-212.S1
WSR 212 Part 1 07/31/2005

AMSAT NEWS SERVICE BULLETIN 212.S1 FROM AMSAT HQ
SILVER SPRING, MD, JULY 31, 2005
TO ALL RADIO AMATEURS
BID: \$ANS-212.S1

V0-52 HAMSAT
Catalog Number: 28650
Launch Date: May 05,2005

Status: On orbit
Current Mode: U/V

Proposed frequencies:

Indian transponder:
Uplink : 435.225MHz to 435.275MHz LSB/CW
Downlink: 145.875MHz to 145.925MHz USB/CW
Beacom : 145.940MHz continue carrier signal

Dutch transponder:
Uplink : 435.225MHz to 435.275MHz LSB/CW
Downlink: 145.875MHz to 145.925MHz USB/CW
Beacon : 145.860MHz 12WPM with CW message
[07242005]

=====
A0-51 ECHO
Catalog number: 28375
Launch date: June 29, 2004

Status: Testing
Current Mode: PBBS - OFF
FM REPEATER - V/U HIGH POWER

Analog voice downlink: 435.300 MHz FM
435.150 mhz FM
Analog voice uplink: 145.880 mhz FM
145.920 MHz FM 67Hz PL tone
1268.700 MHz FM 67Hz PL tone

Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output
2401.200 MHz FM 38k4 bps, AX.25
Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast
Protocol (PBP)

Broadcast: PECHO-11
BBS: PECHO-12

Current scheduled operating modes:
1 Aug

FM Repeater, V/U, High Power
Uplink: 145.920 mhz FM, 67 hz PL Tone
Downlink 435.300 mhz FM

15 Aug
FM Repeater, V/S
Uplink: 145.920 mhz FM, 67hz PL Tone
Downlink 2401.200 mhz FM

22 Aug
FM Repeater, V/U
Uplink: 145.920 mhz FM, 67 hz PL Tone
Downlink 435.300 mhz FM
9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)
Uplink: 145.860 mhz FM, 9k6 PBP Digital
Downlink: 435.150 mhz FM, 9k6 PBP Digital

[ANS-WSR thanks Mike, KE4AZN for the above information]
[07312005]

=====
S0-50 SAUDISAT-1C
Catalog number: 27607
Launched: December 20, 2002

Status: Operational.

Uplink: 145.850 MHz (67.0 Hz PL tone) (See below for operating
procedures)
Downlink: 436.795 MHz

There have been unconfirmed reports on the amsat-bb remailer that S0-50 has
shifted downlink frequency as much as 5khz up. This both from Europe.

To switch the transmitter on, you need to send a CTCSS tone of 74.4 Hz.
The
order of operation is thus: (allow for Doppler as necessary)

- 1) Transmit on 145.850 MHz with a tone of 74.4 Hz to arm
the 10 minute timer on board the spacecraft.
- 2) Now transmit on 145.850 MHz (FM Voice) using 67.0 Hz to PT
the repeater on and off within the 10 Minute window.
- 3) Sending the 74.4 tone again within the 10 minute window
will reset the 10 minute timer.

[09122004]

=====
F0-29 JAS-2
Catalog number: 24278
Launch Date: August 17, 1996

Status: OPERATIONAL

Voice/CW Mode JA
Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795 MHz

Digital Mode JD
Uplink: 145.850 145.870 145.910 MHz FM
Downlink: 435.910 MHz 1200-baud BPSK or 9600-baud FSK
Callsign: 8J1JCS
Digitalker: 435.910 MHz

John, N4QWL reports on July 16th, 2005:

Last evening I had a AOS to LOS qso with WI2W. F0-29 came up at 01:17z here in FM07 and I found WI2W and we chatted until 01:33z. The satellite was at 2 degrees elevation when I finally heard him start to crackle a bit. What a great QSO! To think that I watched this bird launch back in 1996 and it is still working so well is a real thrill. I believe I still have the video. I might just look for it and watch it again. Boy do I love this satellite stuff!

Look for you all up there.

Please send the reception reports to lab2 'at' jarl.or.jp.
Please use the subject line: 'F0-29 reception report'.

Mineo, JE9PEL, has an F0-29 satellite telemetry analysis program that will automatically analyze all digital telemetry from the satellite (such as current, voltage and temperature). F029CWTE is available at:

<http://www.ne.jp/asahi/hamradio/je9pel/>

[ANS-WSR wishes to thanks John, N4QWL for this week's report]

[07172005]

=====

A0-27 AMRAD

Catalog number: 22825

Launched: September 26, 1993

Status: Operational

Uplink: 145.850 MHz FM

Downlink: 436.795 MHz FM

The latest information on A0-27 from control operator Michael Wyrick, N3UC (former N4USI), can be found at:

<http://www.ao27.org>

An A0-27 question-and-answer page is available on the AMSAT-NA web site, with updates by Ray, W2RS. The URL is:

<http://www.amsat.org/amsat/intro/ao27faq.html>

[ANS-WSR thanks John, K6YK, for this week's A0-27 report]

[08292004]

=====

A0-7 AMSAT OSCAR 7

Catalog number: 07530

Launch Date: November 15, 1974

Status: Semi-operational in sunlight.

Return to active status: June 21,2002

Uplink: 145.850 to 145.950 MHz CW/USB Mode A

432.125 to 432.175 MHz CW/LSB Mode B

Downlink: 29.400 to 29.500 MHz CW/USB Mode A

145.975 to 145.925 MHz CW/USB Mode B

Beacon: 29.502 MHz, 145.972 MHz, 435.1 MHz, 2304.1 MHz

Emily, W0EEC has created a website to allow the users of A0-7 to record contacts, observations and use of the satellite more effectively at:

<http://www.emilyshouse.com/expertams/ao7/main.php>

This includes the ability to log contacts.

Tim, K3TZ has written a program to decode A0-07 telemetry.

The program can be downloaded at:

http://www.qsl.net/k3tz/files/K3TZ_A0-07_Telemetry_Decoder_0.5.zip

For more A0-7 info:

<http://www.amsat.org/amsat/sats/n7hpr/ao7.html>

[11142004]

=====

INTERNATIONAL SPACE STATION (ISS) - ARISS

Catalog number: 25544

Launch date: November 20, 1998

Status: Operational

Current Mode: U/V CROSS-BAND REPEATER

Digipeater: Inactive

The current Expedition 11 crew is:

Commander Sergei Krikalev

Flight Engineer John Phillips

Worldwide packet uplink: 145.990 MHz FM

Region 1 voice uplink: 145.200 MHz FM

Region 2/3 voice uplink: 144.490 MHz FM

Worldwide downlink: 145.800 MHz FM

Repeater Uplink: 437.800 MHz FM

Repeater Downlink: 145.800 MHz FM

Doppler Shift is 10 KHz

Russian callsigns: RS0ISS, RZ3DZR

USA callsign: NA1SS

Packet station mailbox callsign: RS0ISS-11

Packet station keyboard callsign: RS0ISS-3

Digipeater callsign: ARISS

This off the ARISS webpage:

< <http://www.rac.ca/ariss/oindex.htm#New%20ARISS%20operations> > :

The ARISS program is pleased to announce that the amateur radio equipment aboard the International Space Station is now operating in cross-band repeat mode. We realize that many of you will miss the packet-operating mode. However, cross-band repeat allows further experimentation of the ISS amateur radio system

The downlink for this operating mode remains the same, so listen for the station on 145.80 MHz. The new uplink frequency is 437.80 MHz. All frequencies

are subject to Doppler shifting. For further information on working satellites and

adjusting for Doppler shift, please review Emily Clark's (W0EEC) excellent presentation on AMSAT's website:

http://www.amsat.org/amsat-new/information/faqs/Intro_sats.pdf

http://www.amsat.org/amsat-new/information/faqs/Intro_sats.pdf

The ISS daily crew schedule can be found at:

<http://spaceflight.nasa.gov/station/timelines/>

Remember that the crew operates on UTC time. Also, all of the time line is NOT

translated from Russian and posted.

More information is available at:

<http://www.rac.ca/ariss><http://spaceflight.nasa.gov/station/reference/radio/><http://www.marexmg.org/fileshtml/unprotopage.html><http://www.issfanclub.com><http://oscar.dcarr.org/>

[07242005]

NNNN

/EX

SB SAT @ AMSAT <W8ISS \$ANS-212.S2

WSR 212 Part 2 07/31/2005

AMSAT NEWS SERVICE BULLETIN 212.S2 FROM AMSAT HQ
SILVER SPRING, MD, JULY 31, 2005
TO ALL RADIO AMATEURS
BID: \$ANS-212.S2

A0-51 ECHO
Catalog number: 28375
Launch date: June 29, 2004

Status: Testing
Current Mode: PBBS - OFF
FM REPEATER - V/U HIGH POWER

Analog voice downlink: 435.300 MHz FM
435.150 mhz FM
Analog voice uplink: 145.880 mhz FM
145.920 MHz FM 67Hz PL tone
1268.700 MHz FM 67Hz PL tone

Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output
2401.200 MHz FM 38k4 bps, AX.25
Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast
Protocol (PBP)

Broadcast: PECH0-11
BBS: PECH0-12

Current scheduled operating modes:
1 Aug
FM Repeater, V/U, High Power
Uplink: 145.920 mhz FM, 67 hz PL Tone
Downlink 435.300 mhz FM

15 Aug
FM Repeater, V/S
Uplink: 145.920 mhz FM, 67hz PL Tone
Downlink 2401.200 mhz FM

22 Aug
FM Repeater, V/U
Uplink: 145.920 mhz FM, 67 hz PL Tone
Downlink 435.300 mhz FM
9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)
Uplink: 145.860 mhz FM, 9k6 PBP Digital
Downlink: 435.150 mhz FM, 9k6 PBP Digital

[ANS-WSR thanks Mike, KE4AZN for the above information]
[07312005]

=====
N0-44 PCSAT
Catalog number: 26931
Launch Date: September 30, 2001

Status: Non-Operational????

Uplink/downlink: 145.827 MHz 1200 baud AX.25 AFSK via W3AD0-1
Aux/Uplink: 435.250 MHz 9600 baud via PCSAT-2 (off)
APRS Downlink: 144.390 MHz (Region 2)

PCSat is a 1200-baud APRS digipeater designed for use by stations using hand-held or mobile transceivers. Downlinks feed a central web site at: <http://pcsat.aprs.org>

The APRS-equipped PCSat was built by midshipmen from the U.S. Naval Academy under the guidance of Bob Bruninga, WB4APR.
[07242005]

=====

CUTE-1

Catalog number: 27844

Launched: June 30,2003

Status: Operational

Uplink: ?

Downlink: 436.8375 CW

437.4700 1200 FM ax25 or SRLL (ACTIVE only near Japan ?)

Cliff, K7RR reports:

In the latest Weekly Satellite Report, CUTE 1, #27844 is listed as OPERATIONAL?

Indeed it is very operational as a CUBESAT sending CW telemetry on 436.8345 MHz. At the July 7 2005, 23:45:20 pass over the Western USA:
CUTE 1 6B A4 xx 7F D7 66A8 4702 FF FF7C 65
CUTE 1 6C A6 59 80 D9 66A8 4702 FF FE7C B6

The June 30th KEPS were within ten seconds of AOS and LOS. It is an very good object to practice tracking as the orbit and transmitter power are similar to proposed CUBESATS awaiting launch this December. As a check for Doppler correction, the lack of change in tone is an excellent indicator.

CUTE 1 is a Japanese (Tokyo Institute of Technology) one kilogram nanosatellite that was launched by a Rokot rocket from Plesetsk at 14:15 UT on 30 June 2003. It carries a 100 mW beacon at 436.8375 MHz. Initial orbital parameters were period 101.4 min, apogee 831 km, perigee 819 km, and inclination 98.7?.

For further info about CUTE-1 goto:

http://lss.mes.titech.ac.jp/ssp/cubesat/operation/Schedule_e.html

[ANS WSR wishes to thank Cliff, K7RR, for this week's information]
[07242005]

=====

G0-32 TECHSAT-1B

Catalog number: 25397

Launch Date: July 10, 1998

Status: Operational

Downlink: 435.225 MHz FM (9600-baud FSK)
(435.325 n/a - temperature problems)

Uplinks: 145.850, 145.890, 145.930 FM
1269.700, 1269.800, 1269.900 FM

Broadcast Callsign: 4XTECH-11

BBS Callsign: 4XTECH-12

More information of G0-32 can be found at:

<http://www.iarc.org/techsat/techsat.html>

[03132005]

=====

M0-46 TIUNGSAT-1

Catalog number: 26548

Launched: September 26, 2000

Status: Operational

Uplink: 145.850 or 145.925 MHz 9600-baud FSK

Downlink: 437.325 MHz

Broadcast callsign: MYSAT3-11

BBS: MYSAT3-12

TiungSat-1 is Malaysia's first micro-satellite and in addition to commercial land and weather imaging payloads offers FM and FSK Amateur Radio communication.

TiungSat-1, named after the mynah bird of Malaysia, was developed as a collaborative effort between the Malaysian government and Surrey Satellite Technology Ltd.

[05152005]

=====

A0-16 PACSAT

Catalog number: 20439

Launch Date: January 22, 1990

Status: Semi-operational, the digipeater command is on and open for APRS users.

Uplink: 145.90 145.92 145.94 145.96 MHz FM
(using 1200-baud Manchester FSK)

Downlink: 437.026 MHz SSB (1200-baud PSK)

Mode-S Beacon: 2401.1428 MHz

Broadcast Callsign: PACSAT-11

BBS: PACSAT-12

A W0D collection of current graphics along with general information and telemetry samples can be found at:

<http://www.telecable.es/personales/ealbcu>

[05092004]

=====

U0-11 OSCAR-11

Catalog number: 14781

Launched: March 1, 1984

Status: Semi-operational?

Telemetry Downlink: 145.826 MHz. FM (1200-baud AFSK).
approx. 10 days ON, 10 days OFF

Mode-S Beacon: 2401.500 MHz. ... OFF

UHFBeacon: 435.025 MHz. ... OFF

This from Mark, Ku7z:

I heard and recorded U0-11 on its last pass over my QTH here at DN41af at approx 0145 utc July 30, 2005.

Please Listen up for it on 145.826.

And let Clive G3CWV know at g3cwv@amsat.org

Any reception reports would be appreciated. Please reply direct to Clive G3CWV (g3cwv@amsat.org), or post reports to AMSAT-BB.

More information on U0-11 OSCAR-11 can be found at:

<http://www.users.zetnet.co.uk/clivew/>

MPEG3 files can be found here at Mineo, JE9PEL website:

<http://www.ne.jp/asahi/hamradio/je9pel/u011tlme.htm>

[ANS thanks Mark, Ku7z and Mineo, JE9PEL for the above information]

[07312005]

NNNN

/EX

SB SAT @ AMSAT <W8ISS \$ANS-212.S3
WSR 212 Part 3 07/31/2005

AMSAT NEWS SERVICE BULLETIN 212.S3 FROM AMSAT HQ
SILVER SPRING, MD, JULY 31, 2005
TO ALL RADIO AMATEURS
BID: \$ANS-212.S3

THE FOLLOWING ARE IN ORBIT BUT ARE
NON-OPERATIONAL AT THIS TIME:

POSAT-1 P0-28
Catalog Number: 22829
Launched : September 25, 1993

Status: Operational - Not open for Amateur use

Downlink: 435.075 MHz
435.275 MHz

Uplink: 145.925 MHz
145.975 MHz

Broadcast callsign: POSAT1-11
BBS callsign: POSAT1-12

Amateurs Get "New" FM Satellite

It was announced at the AMSAT-UK International Space Colloquium in Guildford, England by the AMSAT-UK secretary Jim Heck G3WGM that Amateurs will be getting a new FM satellite to use.

P0-28 (POSAT-1) was launched on September 25th 1993. It's primary purpose was for commercial use on frequencies outside the Amateur bands but it also had the capability to operate on the Amateur bands. After prolonged negotiations it has been agreed that the satellite can be switched permanently to the Amateur frequencies.

It is expected that the process to change over the operation of the satellite from Commercial to Amateur use will take a couple of weeks.

P0-28 (POSAT-1) was built at the University of Surrey within a collaborative programme in satellite technology between a consortium of Portuguese academia and Industry (LNETI, EFACEC, OGMA, MARCONI, ALCATEL, IST, UBI & CEDINTEC) and the University of Surrey, managed through Surrey Satellite Technology Ltd.

Uplink Frequencies: 145.925 and 145.975 MHz
Downlink Frequencies: 435.075 and 435.275 MHz

More information of POSAT-1 can be found at:
<http://www.ee.surrey.ac.uk/SSC/CSER/UOSAT/missions/posat1.html>
<http://www.amsat.org/amsat/sats/n7hpr/po28.html>
[ANS-WSR wishes to thank Trevor, M5AKA for this week's information.]
[07312005]

=====
A0-10 OSCAR 10
Catalog number: 14129
Launched: June 16, 1983

Status: Non-operational

Uplink: 435.030 to 435.180 MHz CW/LSB
Downlink: 145.975 to 145.825 MHz CW/USB
Beacon: 145.810 MHz (unmodulated carrier)

A0-10 has been locked into a Mode-B, 70-cm uplink and
2-meter downlink for several years.

W4SM has more information about the satellite at the following URL:
<http://www.cstone.net/~w4sm/A0-10.html>
[05092004]

=====
I0-26 ITAMSAT
Catalog number: 22826
Launch Date: September 26, 1993

Status: Non-operational

Uplink: 145.875 145.900 145.925 145.950 MHz FM (1200-baud)
Downlink: 435.812 MHz SSB
Broadcast Callsign: ITMSAT-11
BBS: ITMSAT-12

Alberto E. Zagni - I2KBD reports on 02/13/05
The spacecraft is in MBL (safe mode) and is trasmitting just 6 channels
of telemetry. Temperatures and voltage are nominal, but there seems to
be a problem with the onboard receiver, refusing to accept commands.
The spacecraft was launched in 1993, thus nearing 12 years in orbit...

Best regards
Alberto E. Zagni - I2KBD
ITAMSAT Mission Director

More information of I0-26 can be found at:

<http://joshua.micronet.it/english/itamsat/itamsathome.html>
<http://www.amsat.org/amsat/sats/n7hpr/io26.html>
www.itamsat.org

[02132005]

=====
RS-12 RADIO SPORT RS-12
Catalog number: 21089
Launched: February 5, 1991

Status: Non-operational

Uplink: 21.210 to 21.250 MHz CW/USB
Downlink: 29.410 to 29.450 MHz CW/USB
Beacon: 29.408 MHz
Robot: 29.454 MHz
[05232004]

=====
RS-13 RADIO SPORT RS-13
Catalog number: 21089
Launched: February 5, 1991

Status: Non-operational

Uplink: 21.260 to 21.300 MHz CW/USB
Downlink: 145.860 to 145.900 MHz CW/USB
Beacon: 145.860 MHz

Robot: 145.908 MHz
[05232004]

=====

U0-14 UoSAT-3
Catalog number: 20437
Launched: January 22, 1990

Status: Non-operational

Uplink 145.975 MHz FM
Downlink 435.070 MHz FM
[05092004]

=====

U0-22 UOSAT
Catalog number: 21575
Launched: July 17, 1991

Status: Non-Operational

Uplink: 145.900 FM 9600-baud FSK
Downlink: 435.120 MHz FM
Broadcast Callsign: UOSAT5-11
BBS: UOSAT5-12
[01092005]

=====

RS-15 RADIO SPORT RS-15
Catalog number: 23439
Launch Date: December 26, 1994

Status: Non-operational?

Uplink: 145.858 to 145.898 MHz CW/USB
Downlink: 29.354 to 29.394 MHz CW/USB
Beacon: 29.352 MHz (intermittent)
SSB meeting frequency: 29.380 MHz (unofficial)

John, KD6PAG reports on June 16, 2004 to ANS:
RS-15 beacon seemed to be back in the mode where it's a tone about 5 seconds
off and then 5 seconds on this morning.

ANS is looking for more confirmations of RS-15 coming back.

[ANS thanks John, KD6PAG for RS-15 information]
[06202004]

=====

L0-19 LUSAT
Catalog number: 20442
Launched: January 22, 1990

Status: CW Beacon only

Uplink: 145.84 145.86 145.88 145.90 MHz FM
(using 1200-baud Manchester FSK)
CW downlink: 437.125 MHz
Digital downlink: 437.150 MHz SSB (RC-BPSK 1200-baud PSK)
Broadcast Callsign: LUSAT-11
BBS: LUSAT-12o

General information and telemetry samples can be found at:
www.telecable.es/personales/ealbcu
[05232004]

=====

F0-20 JAS-1b
Catalog number: 20480

Launch Date: February 07, 1990

Status: Non-Operational

Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795

More F0-20 info can be found at:

<http://www.amsat.org/amsat/sats/n7hpr/fo20.html>
[08152004]

=====

K0-23 KITSAT

Catalog number: 22077

Launched: August 10, 1992

Status: Non-operational

Uplink: 145.900 MHz FM (9600-baud FSK)
Downlink: 435.170 MHz FM
Broadcast Callsign: HL01-11
BBS: HL01-12

Jim, AA7KC, reports that K0-23's downlink transmitter continues in a non-operational status.

[05092004]

=====

K0-25 KITSAT

Catalog number: 22828

Launched: September 26, 1993

Status: Non-operational

Uplink: 145.980 MHz FM (9600-baud FSK)
Downlink: 436.500 MHz FM
Broadcast Callsign: HL02-11
BBS: HL02-12

[05092004]

=====

P0-34 PANSAT

Catalog number: 25520

Launched: October 30, 1998

Status: Telemetry downloads only

Uplink/downlink frequency (listed on the PanSat web site) 436.500 MHz

The satellite is not available for general uplink transmissions.

The Naval Postgraduate School developed PanSat. At the time of launch, PanSat spread-spectrum digital transponders were to be available to Amateur Radio operators along with software to utilize this technology.

The satellite is still operating, however, the spread spectrum packet radio portion never took place. The spacecraft is now beyond it's initial 2-year mission life, but telemetry records are still being downloaded.

For more information, visit the official PanSat web site at:

<http://www.sp.nps.navy.mil/pansat/>
[05092004]

=====

S0-33 SEDSAT-1

Catalog number: 25509
Launched: October 24, 1998

Status: Semi-operational

Downlink: 437.910 MHz FM (9600-baud FSK)

The satellite is not currently available for uplink transmissions and the image and transponder recovery efforts have been unsuccessful.

For more information on SedSat-1 visit the satellite web site:
<http://seds.uah.edu/projects/sedsat/sedsat.htm>

[ANS has no further information]
[05232004]

=====

S0-35 SUNSAT
Catalog Number: ?
Launched: February 23, 1999

Status: Non-Operational

Downlink: Mode B Repeater: 436.291 MHz
Mode J Digipeater: 436.250 MHz

Uplinks: Mode B Repeater: 145.825 MHz
Mode J Digipeater: 145.825 MHz and 145.900 MHz

For more information of SUNSAT visit the satellite web site:
<http://esl.ee.sun.ac.za/projects/sunsat/>
[08082004]

=====

U0-36 UoSAT-12
Catalog number: 25693
Launched: April 21, 1999

Status: Unknown

Uplink: 145.960 MHz (9600-baud FSK)
Downlink: 437.025 MHz 437.400 MHz
Broadcast Callsign: U0121-11
BBS: U0121-12

The VK5HI viewer shareware for U0-36 is available on the AMSAT-NA web site at the following URL:
<ftp://ftp.amsat.org/amsat/software/win32/display/ccddsp97-119.zip>
[05092004]

=====

A0-40 AMSAT OSCAR 40
Catalog number: 26609
Launch Date: November 16, 2000

Status: Non-Operational

Uplink V-band 145.840 - 145.990 MHz CW/LSB
U-band 435.550 - 435.800 MHz CW/LSB
L1-band 1269.250 - 1269.500 MHz CW/LSB
L2-band 1268.325 - 1268.575 MHz CW/LSB
S1-band 2400.350 - 2400.600 MHz CW/LSB
Downlink: S2-band 2401.225 - 2401.475 MHz CW/USB
K-band 24,048.010 - 24,048.060 MHz CW/USB
Beacon: 2401.323, 24,048.035
[05232004]

S0-42 SAUDISAT-1B
Catalog number: 26549
Launched: September 26, 2000

Status: Non-Operational
Downlink: 437.075 MHz
Broadcast Callsign: SASAT2-11
BBS: SASAT2-12

Further information is available at:
<http://www.amsat.org/amsat/sats/n7hpr/so42.html>
[08152004]

=====

S0-41 SAUDISAT-1A
Catalog number: 26545
Launch Date: September 26, 2000

Status: Non-Operational

Uplink: 145.850 MHz
Downlink: 436.775 MHz
Broadcast Callsign: SASAT1-11
BBS: SASAT1-12

Further information is available at:
<http://www.amsat.org/amsat/sats/n7hpr/so41.html>
[08152004]

=====

N0-45 SAPPHIRE
Catalog number: 26932
Launch Date: September 30, 2001

Status: Non-Operational

Downlink: 437.095 MHz 1200 baud AX-25 AFSK
Uplink: 145.945 MHz UI Digipeater
Digi Callsign: KE6QMD

Everyone is welcome to use the digipeating/APRS features of Sapphire,
callsign KE6QMD, as per the user service agreement located at the following
URL:
<http://web.usna.navy.mil/~bruninga/pcsat/contract.txt>
[03132005]

=====

A0-49 AATiS OSCAR-49 (SAFIR-M)
Catalog number: 27605
Launch Date: December 20, 2002

Status: Semi-operational.

Uplink 435.275 1200-baud AFSK
Downlink 145.825 9600-baud FSK
(optional voice message)
Broadcast callsign: DP0AIS

A0-49 (SAFIR-M) is a German amateur radio payload onboard the small German
scientific satellite "RUBIN-2".

A0-49 was built by the German amateur radio association "AATiS
e.V." (German
acronym for "Arbeitskreis Amateurfunk und Telekommunikation in der Schule",
which means: 'working group for amateur radio and telecommunications in
schools'). A0-49 is designed as a "store and broadcast" system for APRS
based messages, dedicated for the use of schools in combination with the

existing WX-Net and planned buoy experiments in Germany.

No transmissions detected since the 1st of February 2003! It appears A0-49 is not properly aligned to illuminate the solar panels. This should end soon. Due to its orbit, A0-49 will be in a phase without eclipses until 13Feb03.

Martin DG8UUAU has written a small software program "SAFIR-M Decoder" to allow decoding of the received DATA0 frames. It is available at: <http://amend.gmxhome.de> in the section Aktuelles.

Details on A0-49 (SAFIR-M) can be found at: <http://amend.gmxhome.de>

Information about AATiS e.V. is available at:

<http://www.aatis.de>

[05092004]

NNNN

/EX

SB SAT @ AMSAT <W8ISS \$ANS-212.S4
WSR 212 Part 4 07/31/2005

AMSAT NEWS SERVICE BULLETIN 212.S4 FROM AMSAT HQ
SILVER SPRING, MD, JULY 31,2005
TO ALL RADIO AMATEURS
BID: \$ANS-212.S4

THE FOLLOWING SATELLITES ARE NOT IN ORBIT BUT ARE
PROPOSED FOR LAUNCH AT THIS TIME:

UCISAT ?0-??

Catalog number:

Proposed Launch Date: October 31, 2005

Status: Under Construction

Downlink: Submission in Progress

Uplink: Submission in Progress

Callsign: Submission in Progress

This from Matt Bennett, KF6RTB, UCISAT Communications Team Member:

Our website is www.ucisat.net. This is a new website, however, and doesn't have the "Status" section active yet. Because of the growing interest in our project, I'll push our webmaster to create updates (hopefully) on a week-to-week basis. For now, the current status of the mission is as follows:

-Expected Launch Date: October 31st, 2005

-Frequency Allocation: Submission in Progress

-Construction Status: Sub-Assembly

[WSR to thank Matt Bennett, KF6RTB, for this week's report.]

[01302005]

=====

SSETI ?0-??

Catalog Number:

Proposed Launch Date: LATE 2005

Status: AWAITING LAUNCH

Graham, G3VZV reports:

We have now been advised that the revised launch date for SSETI Express and the other satellites on the DMC3 COSMOS launch has been confirmed as September

27th - so please keep those fingers crossed!

SpaceDaily has a report about SSETI at:
<http://www.spacedaily.com/news/internet-04zzzu.html>

You can find more info about SSETI at:
<http://sseti.gte.tuwien.ac.at/WSW4/>

Looking at the website for the SSETI Express webcam
<http://sseti.gte.tuwien.ac.at/WSW4/webcam.htm>

[ANS thanks Graham, G3VZV for the above information]
[07312005]

=====

PCSAT2 ?0-??

Catalog Number:

Proposed Launch Date: August 1, 2005

Status: Onboard International Space Station

Bob, WB4APR reports:

Since PCSAT2 is on ISS but will also operate as an autonomous payload sometimes as well, it has interest on both the SAREX and AMSAT-BB mailing lists.

To avoid dual posting, however, we will generally make most postings on the AMSAT-BB that pertain to PCSAT2 operations and only make postings on SAREX when they involve PCSAT2 coordination with manned activities.

Our understanding is that during the deployment of PCSAT2 and initial checkout, that the ARISS system will probably remain in PACKET mode when not otherwise in use since this minimizes the potential for mutual interference.

Deployment is still expected 3 Aug or possibly earlier. After 2 weeks of checkout, user transponders may be activated. See:
<http://www.ew.usna.edu/~bruninga/pec/pc2ops.html>

The PCSAT2 mission is intended as an opportunity to augment existing ARISS communications experiments with an external autonomous communications payload. In this regard, it has several potential uses:

- * A UI-Digipeater to help ease congestion on the currently shared ARISS PMS (Packet Mail system)
- * A PSK-31 transponder for multi-user communications to improve accessibility for schools and ARISS outreach programs.
- * An FM Voice repeater for full duplex crew communications to facilitate crew-to-school ARISS contacts.
- * Routine Telemetry on the spacecraft systems

For more information and pictures visit the PCSAT2 website at
<http://www.ew.usna.edu/~bruninga/pcsat2.html>

[ANS thanks Bob, WB4APR for the above information]
[07312005]

=====

PHASE 3E ?0-??

Catalog Number:

Proposed Launch Date: Early 2006

Status: Under Construction

William Leijenaar, PE1RAH reports on July 16th, 2005:

Hi AMSATs,

I always like to inform the AMSATs public about my P3e work, but unfortunately due to some reasons there was not much time and nothing much to say...

However, now I am happy to announce that the my MODE-UV transponder design for P3e is ready at the P3e integration place in Marburg (Germany). About 4 weeks ago I was in Marburg before, where the transponder has been checked. Unfortunately some unsure things were found in the design. The unsure things were about long term stability after many years in space.

At home in The Netherlands, I changed the design with some minor changes to have a secure long term stability. Finally I tested the transponder again and it performed well within the specifications. Again something learned for future transponder designs :o)

Last Wednesday I drove to AMSAT-DL P3e integrations place in Marburg again, and have my transponder again checked. In the beginning it seemed that the 70cm receiver lost 10dB in sensitivity. After some more measurements we find out that it was due to a bad attenuator we used for protection at the input.

Together with Karl Meinzer we looked for any problems, but so far we could see (without HELAPS) all was okay. In the afternoon I went back home again, this time without the MODE-UV.

Now the MODE-UV will get a new home, the home of P3e... :o)
I hope the transponder will work like its elder sister in A0-10, and you all will enjoy it for many years...

It was lots of work to get it this far, but I know it is for a good purpose...

For the latest project status update please visit the AMSAT-DL P3-E web page:
<http://www.amsat-dl.org/p3e/>

[ANS-WSR wishes to thank William Leijenaar, PE1RAH for this week's report]
[07172005]

=====

CP1 ?o-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: N6CP

Proposed Transmit Frequency: 436.845

[03272005]

=====

CP2 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA

Proposed Transmit Frequency: 437.325

[03272005]

=====

HAUSAT1 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: D90HP

Proposed Transmit Frequency: 437.465
[03272005]

=====

ICE Cube 1 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: W2CXM

Proposed Transmit Frequency: 437.305
[03272005]

=====

ICE Cube 2 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: N2VR

Proposed Transmit Frequency: 437.425
[03272005]

=====

ION ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA

Proposed Transmit Frequency: 437.505
[03272005]

=====

KUTESat ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: KC0RMW

Proposed Transmit Frequency: 437.385
[03272005]

=====

MEROPE ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: K7MSU-1

Proposed Transmit Frequency: 145.980
[03272005]

=====

nCUBE1 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA

Proposed Transmit Frequency: 437.305
2407.25
[03272005]

=====

RINCON ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW

Proposed Transmit Frequency: 436.870
437.345
[03272005]

=====

SACRED ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW
Proposed Transmit Frequency: 436.870
[03272005]

=====

SACRED ?0-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW
Proposed Transmit Frequency: 436.870
[03272005]

=====

SEEDS ?0-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: JQ1YGU
Proposed Transmit Frequency: 437.485
[03272005]

=====

Mea Huaka ?0-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA
Proposed Transmit Frequency: 437.405
[03272005]

NNNN

/EX

ANS is released worldwide via the AMSAT ANS e-mail reflector and a live radiocast on the AMSAT-NA 20-meter net held each Sunday on 14.282 MHz. Pre-net operations start at 18:00 UTC, with current ANS bulletins transmitted to the eastern U.S. at 19:00 UTC and to the western U.S. at 19:30 UTC.

Information on AMSAT-NA is available at the following URL:
<http://www.amsat.org>

AMSAT-NA
850 Sligo Avenue, Suite 600
Silver Spring, Maryland 20910-4703

Voice: 301-589-6062
888-322-6728
FAX: 301-608-3410

Currently, AMSAT-NA supports the following (free) mailing lists:

- * AMSAT News Service (ANS)
- * General satellite discussion (AMSAT-BB)
- * Orbit data (KEPS)
- * Manned space missions (SAREX)
- * District of Columbia area (AMSAT-DC)
- * New England area (AMSAT-NE)
- * AMSAT Educational Liaison mailing list (AMSAT-EDU)
- * AMSAT K-12 Educational Liaison mailing list (AMSAT-K12)

A daily digest version is available for each list.

To subscribe, or for more list information, visit the following URL:
<http://www.amsat.org/amsat/listserv/menu.html>

In addition to regular membership, AMSAT-NA offers membership in the President's Club. Members of the President's Club, as sustaining donors to AMSAT Project Funds, will be eligible to receive additional benefits. Application forms are available from the AMSAT-NA Office.

This week's Weekly Satellite Report Editor is James French, W8ISS.

ANS is always dedicated to past ANS editor 'BJ' Arts, WT0N, and to the memory of longtime AMSAT supporters Werner Haas, DJ5KQ, Dennis Kitchen, G0FCL and John Branegan GM4IHJ.

Please send any amateur satellite news or reports to:
ans-editor{at}amsat.org

NNNN

/EX